

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 01.4.096	NM 01.4.096	Steel products - Reinforcement for reinforced concrete - Non-weldable high-adhesion bars and rings (REV)	EX 72.13.20.00.00 EX 72.14.30.00.00 EX 72.14.99.91.00 EX 72.14.99.99.00	<ul style="list-style-type: none"> • 2 T or • 12 000 Dhs
NM 01.4.097	NM 01.4.097	Steel products - Reinforcement for reinforced concrete - Weldable high adhesion bars and rings (REV)	EX 72.13.20.00.00 EX 72.14.30.00.00 EX 72.14.99.91.00 EX 72.14.99.99.00	<ul style="list-style-type: none"> • 2 T or • 12 000 Dhs
NM ISO 9328-2-2001	NM 01.4.180	Steel flat products for pressure purposes — Technical delivery conditions — Part 2: Non-alloy and alloy steels with specified elevated temperature properties	7208.10.00.91/99 - 7208.25.00.31/39/90 7208.26.00.31/39/90 7208.27.00.10/31/39/90 7208.36.00.31/39/90 7208.37.10.00/90.31/90.39/90.90 7208.38.10.00/90.31/90.39/90.90 7208.39.10.00/90.31/90.39/90.90 7208.39.90.90 - 7208.40.00.91 7208.40.00.99 - 7208.51.00.90 7208.52.00.91/99 - 7208.53.00.90 7208.54.00.10/30/41/49/90 7208.90.20.10/90 - 7208.90.90.10/90 7209.15.00.10 - 7209.16.00.10/91/99 7209.17.00.10/90 - 7209.18.00.10/90 7209.25.00.10 7209.26.00.10/91/99 7209.27.00.10/90 - 7209.28.00.10/90 7209.90.10.00/90.00 - 7210.11.20.10 7210.20.29.00/90.00 7210.61.20.00/90.00 7210.69.20.00/90.00 7210.70.21.00 - 7210.70.29.00/90.00 7210.90.22.00/29.11/29.99/90.20/90.90 7211.13.00.29/30/51/59/90 7211.14.00.22/29/39/40/61/69/90 7211.19.00.39/41/49/59/79/90 7211.23.00.21/29/30/51/90 7211.90.20.10/20/90/90.00 7212.10.21.10/29.00/91.10/91.90/99.00 7212.20.00.21/29/30/93/99 7212.30.21.00/29.00/93.00/94.00/99.00 7212.40.31.00/39.90/91.00/99.00 7212.50.31.00/32.00/33.00/39.00/40.00 7212.50.59.00/61.00/62.00/69.00/90.00 7212.60.21.00/29.00/30.00/91.10/99.00 7219.11.00.00/12.00.00/13.00.00 7219.21.00.00/22.00.00/23.00.00 7219.31.00.00/32.00.00 7219.90.00.10/91/99 - 7225.11/19 Ex 72.25.40.10.00/20.00/50.10.00 72.25.91.10.00/92.10.00 72.25.99.10.10/91/99 72.25.30.11.00/12.00/21.00/22.00/31.00 72.25.30.32.00/91.00/92.00 72.25.99.90.10/91/99 7226.20.00.11/19/21/29/30/40/51/52/61/91/99 7226.91.00.10/20/91/92 7226.92 - 72.26.99.10.00/20.00 72.26.99.90.11/19/20/30/91/99	

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM ISO 9328-3-2001	NM 01.4.181	Steel plates and strips for pressure purposes — Technical delivery conditions — Part 3: Nickel-alloyed steels with specified low temperature properties (IC: NM 01.4.181) - 10 p.	Ex 72.25.40.10.00/ 20.00/ 90.00 Ex 72.25.50.10.00/ 90.00 72.25.91.10.00/ 92.10.00 72.25.99.10.10/ 91/ 99 72.25.30.11.00/ 12.00/ 19.00/ 21.00/ 22.00 72.25.30.29.00/ 31.00/ 32.00/ 39.00/ 91.00 72.25.30.92.00/ 00 Ex 72.25.40.10.00/ 20.00/ 90.00 72.25.99.90.10/ 91/ 99 7226.20.00 7226.91.00 7226.92.00.10/ 91 72.26.99.90.11/ 19/ 20/ 30/ 91/ 99	
NM 01.4.220-2011	NM 01.4.220-2011	Reinforcement for reinforced concrete - Welded mesh and components	7314.20 7314.31.00.00 7314.39.00 7314.41.00.90 7314.42.00.90 7314.49.00.90	<ul style="list-style-type: none"> • 2 T or • 12 000 Dhs
NM ISO 5950-2003	NM 01.4.369	Electrolytic tin-coated cold-reduced carbon steel sheet of commercial and drawing qualities (IC : NM 01.4.369) - 14p.	7210.11.20.90 7210.11.90.00	
NM EN 10149-2-2016	NM 01.4.452	Hot rolled flat products made of high yield strength steels for cold forming - Part 2: Technical delivery conditions for thermomechanically rolled steels	7210.11.20.90 7210.11.90.00	
NM EN 10149-3-2016	NM 01.4.453	Hot rolled flat products made of high yield strength steels for cold forming - Part 3: Technical delivery conditions for normalized or normalized rolled steels	7210.11.20.90 7210.11.90.00	
NM EN 10268 - 2011	NM 01.4.458	Cold rolled steel flat products with high yield strength for cold forming - Technical delivery conditions	7210.11.20.90 7210.11.90.00	
NM EN 10131	NM 01.4.650-2006	Cold rolled uncoated and zinc or zinc-nickel electrolytically coated low carbon and high yield strength steel flat products for cold forming - Tolerances on dimensions and shape	7210.11.20.90 7210.11.90.00	
NM 01.4.651-2006	NM 01.4.651-2006	Continuously hot-dip coated steel flat products - Technical delivery conditions	7212.30	
NM EN 10130	NM 01.4.653-2006	Cold rolled low carbon steel flat products for cold forming - Technical delivery conditions	7210.11.20.90 7210.11.90.00	
NM EN 10025-1	NM 01.4.833	Hot rolled products of structural steels - Part 1: General technical delivery conditions	7210.41.10.00 7210.41.20.00 7210.41.90.00 7210.49.10.00 7210.49.20.00 7210.49.90.00	
NM EN 10025-2	NM 01.4.834	Hot rolled products of structural steels - Part 2: Technical delivery conditions for non-alloy structural steels	7210.41.10.00 7210.41.20.00 7210.41.90.00 7210.49.10.00 7210.49.20.00 7210.49.90.00	

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM EN 10025-3	NM 01.4.835	Hot rolled products of structural steels - Part 3: Technical delivery conditions for normalized/normalized rolled weldable fine grain structural steels	7210.41.10.00 7210.41.20.00 7210.41.90.00 7210.49.10.00 7210.49.20.00 7210.49.90.00	
NM EN 10025-4	NM 01.4.836	Hot rolled products of structural steels - Part 4: Technical delivery conditions for thermomechanical rolled weldable fine grain structural steels	7208 7210	
NM EN 10025-5	NM 01.4.837	Hot rolled products of structural steels - Part 5: Technical delivery conditions for structural steels with improved atmospheric corrosion resistance	7210.41.10.00 7210.41.20.00 7210.41.90.00 7210.49.10.00 7210.49.20.00 7210.49.90.00	
NM EN 10025-6	NM 01.4.838	Hot rolled products of structural steels - Part 6: Technical delivery conditions for flat products of high yield strength structural steels in the quenched and tempered condition	7210.41.10.00 7210.41.20.00 7210.41.90.00 7210.49.10.00 7210.49.20.00 7210.49.90.00	
NM EN 10346	NM 01.4.965	Continuously hot-dip coated steel flat products for cold forming - Technical delivery conditions	7210.41.10.00 7210.41.20.00 7210.41.90.00 7210.49.10.00 7210.49.20.00 7210.49.90.00	
NM 02.3.500-2005	NM 02.3.500-2005	Thermal equipment for handicrafts - General requirements security; 43p	8417 8419 8514	• 5 or • 20 000 Dhs
NM 02.3.501-2005	NM 02.3.501-2005	Thermal equipment for handicrafts - Safety requirements for the combustion and handling of fuels; 48p	8417 8419 8514	• 5 or • 20 000 Dhs
NM 03.2.140-2000	NM 03.2.140-2000	Matches - Safety Requirements; 12 p.	36.05.00.00	• 100 Kg or • 5 000 Dhs
NM 03.3.124-1993	NM 03.3.124-1993	Paints - Paint coatings for interior work - Specifications; 7 p.	3208 3209 3210	1T or 5 000 Dhs
NM ISO 12944-6-2004	NM 03.3.220	Paints and varnishes — Corrosion protection of steel structures by protective paint systems — Part 6: Laboratory performance test methods; (IC : 03.3.220) 14 p.	3208 3209 3210	1T or 5 000 Dhs
NM 03.3.254-2005	NM 03.3.254-2005	Paints and varnishes - Paint systems for the protection of metal structures - Specifications; 16 p.	3208 3209 3210	1T or 5 000 Dhs
NM 03.3.255-2005	NM 03.3.255-2005	Paints and varnishes - Specifications for topcoats for dry rooms; 5 p.	3208 3209 3210	1T or 5 000 Dhs
NM 03.3.256-2005	NM 03.3.256-2005	Paints and varnishes - Specifications for wet room topcoats; 5 p.	3208 3209 3210	1T or 5 000 Dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM ISO 4641	NM 05.2.004	Rubber hoses and hose assemblies for water suction and discharge — Specification	4009.31 4009.32	5 000 Dhs
NM EN 681-1	NM 05.2.018	Elastomeric seals — Materials requirements for pipe joint seals used in water and drainage applications — Part 1: Vulcanized rubber	4016.93	5 000 Dhs
NM 05.2.020-1999	NM 05.2.020-1999	Rubber O-rings - Description, dimensions and tolerances - High precision seals - 09 p.	4016.93.00.00	5 000 Dhs
NM 05.2.022-1999	NM 05.2.022-1999	Rubber O-rings — Material characteristics for the most commonly used O-rings - 09 p.	4016.93.00.00	5 000 Dhs
NM ISO 7751	NM 05.2.025	Rubber and plastics hoses and hose assemblies — Ratios of proof and burst pressure to maximum working pressure - 05 p.	39.17 40.09	5 000 Dhs
NM 05.2.057	NM 05.2.057	Thermoplastic cover films for use in agriculture and horticulture; 13 P	EX 30.06.10.20.10 EX 30.06.92.91.02 39.20.10.00.24 39.20.10.00.93	5 000 Dhs
NM 05.2.059	NM 05.2.059	Plastics — Plastic films for agriculture and horticulture — Conditions of implementation and use; 19 P	39.20 EX 30.06	5 000 Dhs
NM 05.2.215-2000	NM 05.2.215-2000	Rubber bearings — Specifications - 09 p.	4016.99	5 000 Dhs
NM 05.2.520-2005	NM 05.2.520-2005	Water stop bands — Rubber products — Specifications - 14 p.	4016.99.98.00 4017.00.10.10	5 000 Dhs
NM 05.2.523-2004	NM 05.2.523-2004	Rubber and plastics hoses, tubing and assemblies for use with propane and butane and their mixtures in the vapor phase — Part 1: Hoses and tubings - 11 p.	40.09.11.00.00 EX 40.09.31 EX 39.17	5 000 Dhs
NM ISO 21003-2-2010	NM 05.5.212	Multilayer piping systems for hot and cold water installations inside buildings — Part 2: Pipes (IC 05.5.212) ; 23 P	3917.21 3917.22 3917.23 3917.29 3917.31 3917.32 3917.33 3917.39	5 000 Dhs
NM ISO 15877-3	NM 05.5.233	Plastics piping systems for hot and cold water installations — Chlorinated poly(vinyl chloride) (PVC-C) — Part 3: Fittings	3917.40.00.10 3917.40.00.90	5 000 Dhs
NM ISO 15876-3-2010	NM 05.5.237	Plastics piping systems for hot and cold water installations — Polybutene (PB) — Part 3: Fittings (IC 05.5.237); 20 P	3917.40.00.10 3917.40.00.90	5 000 Dhs
NM 05.6.028-1999	NM 05.6.028-1999	Plastics - CPVC or PVCC piping systems for the transport of hot and cold water with pressure - Specifications - Fittings - 07p.	3917.40	5 000 Dhs
NM 05.6.057-1996	NM 05.6.057-1996	Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure — Unplasticized poly(vinyl chloride) (PVC-U) — Specifications - 14 p.	3917.23	5 000 Dhs
NM 05.6.104-2000	NM 05.6.104-2000	Plastics - Unplasticized polyvinyl chloride molded fittings for pressurized domestic water drainage systems - Specifications -09p.	3917.40	5 000 Dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 05.6.107-2000	NM 05.6.107-2000	Plastics piping systems for soil and waste discharge (low and high temperature) within the building structure — Unplasticized poly(vinyl chloride) (PVC-U) — Suitability for use - Specifications - 07p.	3917.23	5 000 Dhs
NM 05.6.121-2000	NM 05.6.121-2000	Plastics — Unplasticized polyvinyl chloride (PVC-U) pipes and fittings for underground irrigation networks — Specifications - 11p.	EX 39.17.21.00.10 EX 39.17.21.00.94	5 000 Dhs
NM ISO 15875-1 -2009	NM 05.6.122	Plastics piping systems for hot and cold water installations - Cross-linked polyethylene (PE-X) - Part 1: General; Rev 05.6.122	EX 39.17.21.00.10 EX 39.17.21.00.94	1000 M, or 10 000 Dhs
NM ISO 4437-2005	NM 05.6.177	Buried polyethylene (PE) pipes for the supply of gaseous fuels — Metric series — Specifications (IC : NM 05.6.177) -19 p.	3917.21 3917.31 3917.32 3917.39	5 000 Dhs
NM 05.6.301-2005	NM 05.6.301-2005	Plastics sacks for household waste collection — Types, requirements and test methods - 17 p.	39.23.21	· 1000Dhs · or 100Kg
NM EN 12201-3 + A1	NM 05.6.405	Plastics piping systems for water supply, and for drainage and sewerage under pressure — Polyethylene (PE) — Part 3: Fittings	3917.40	
NM EN 12201-4	NM 05.6.406	Plastics piping systems for water supply, and for drainage and sewerage under pressure — Polyethylene (PE) — Part 4: Valves for water supply systems	8481	
NM ISO 15874-3	NM 05.6.412	Plastics piping systems for hot and cold water installations — Polypropylene (PP) — Part 3: Fittings (IC 05.6.412) 21 p.	3917.40.00.10 3917.40.00.90 3917.22 3917.31 3917.32 3917.33.00.90 3917.39	5 000 Dhs
NM ISO 15875-3 -2009	NM 05.6.432	Plastics piping systems for hot and cold water installations — Crosslinked polyethylene (PE-X) — Part 3: Fittings (IC 05.6.432) 17 p.	3917.40.00.90	5 000 Dhs
NM ISO 8873-2006	NM 05.8.026	Rigid cellular plastics — Sprayed polyurethane foam used in thermal insulation of buildings — Specifications (IC 05.8.026)	3909.50	5 000 Dhs
NM 06.1.002 -1976	NM 06.1.002 -1976	Equipment for high voltage alternating current networks - Insulation coordination - Rules (NM-Mandatory) -30p.	8504 8532 8536 8546	
NM EN 60269-1	NM 06.1.154	Low-voltage fuses — Part 1: General requirements; 72 p.	8536.10.90.91	2 000 Dhs
NM 06.3.003-2006	NM 06.3.003-2006	Insulated conductors and cables for installations — Tests for the classification of conductors and cables with regard to their behavior in fire; (NM -Mandatory) (REV) 45 p.	8544	
NM 06.3.006	NM 06.3.006	Insulated conductors and cables for installations — Rigid cables insulated with cross-linked polyethylene under protective polyvinyl chloride sheath — U-1000 R2V and U-1000 AR2V series	Ex 85.44.49.90.11 Ex 85.44.49.90.19 Ex 85.44.49.90.21 Ex 85.44.49.90.29 Ex 85.44.49.90.30 Ex 85.44.49.90.40	• 1000 M or • 15 000 Dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 06.3.032-1997	NM 06.3.032-1997	Insulated conductors and cables for installations — Internal wiring conductors insulated with polyvinyl chloride (NM - Mandatory) 13 p.	Ex 85.44.49.90.90	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.033-2006	NM 06.3.033-2006	Conductors and cables for installations — Flexible flat cables insulated and sheathed with polyvinyl chloride for light garlands of class II	Ex 85.44.42.10.11 Ex 85.44.42.10.19	<ul style="list-style-type: none"> • 1000 M(*) or • 10 000 Dhs (*) Not to be confused with the extensions whose quantity is 2000
NM 06.3.034-1997	NM 06.3.034-1997	Conductors and cables for installations — Rigid cables insulated with cross-linked polyethylene in polychloroprene sheath (NM - Mandatory) 11 p.	Ex 85.44.42.10.21 Ex 85.44.42.10.29 Ex 85.44.49.10.11	<ul style="list-style-type: none"> • 1000 M(*) or • 10 000 Dhs (*) Not to be confused with the extensions whose quantity is 2000
NM 06.3.035-1997	NM 06.3.035-1997	Insulated conductors and cables for installations — Conductors and cables with metallic coating — Rules (NM - Mandatory) 33 p.	Ex 85.44.49.10.19 Ex 85.44.49.10.21 Ex 85.44.49.10.29	<ul style="list-style-type: none"> • 1000 M(*) or • 10 000 Dhs (*) Not to be confused with the extensions whose quantity is 2000
NM 06.3.040-1997	NM 06.3.040-1997	Conductors and wires used in electrical construction — Enameled copper wires, of circular section, with high mechanical properties (NM - Mandatory) 17 p.	Ex 85.44.60.11.00 Ex 85.44.60.19.00	<ul style="list-style-type: none"> • 1000 M(*) or • 10 000 Dhs (*) Not to be confused with the extensions whose quantity is 2001
NM 06.3.041	NM 06.3.041	Conductors and cables for installations — 0.6/1 kV rigid cables, halogen-free with improved fire behavior, category C1, with cross-linked synthetic insulation and with extruded synthetic protective sheath	8544	
NM 06.3.080-2000	NM 06.3.080-2000	Rubber-insulated conductors and cables with rated voltage not exceeding 450/750 V — Test methods	8544	
NM 06.3.111-2001	NM 06.3.111-2001	Rubber-insulated conductors and cables, rated voltage at most equal to 450/750 V — General requirements (NM - Mandatory) 32 p.	Ex 85.44.60.21.00 Ex 85.44.60.29.00	<ul style="list-style-type: none"> • 1000 M(*) or • 10 000 Dhs (*) Not to be confused with the extensions whose quantity is 2001
NM 06.3.113-2001	NM 06.3.113-2001	Electric cables — Low voltage energy cables of rated voltages up to and including 450/750 V (U0/U) — Part 2-41: Cables for general applications — Single core cables with crosslinked silicone rubber insulation (NM - Mandatory) 8 p.	Ex 85.44.11.90.00 Ex 85.44.49.10.59 Ex 85.44.49.10.69 Ex 85.44.49.90.59	<ul style="list-style-type: none"> • 1000 M(*) or • 10 000 Dhs (*) Not to be confused with the extensions whose quantity is 2002
NM 06.3.114-2001	NM 06.3.114-2001	Electric cables — Low voltage energy cables of rated voltages up to and including 450/750 V (U0/U) — Part 2-21: Cables for general applications — Flexible cables with crosslinked elastomeric insulation (NM - Mandatory) 21 p.	Ex 85.44.49.90.69 Ex 85.44.60.69.00 Ex 85.44.60.79.00	<ul style="list-style-type: none"> • 1000 M(*) or • 10 000 Dhs (*) Not to be confused with the extensions whose quantity is 2003

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 06.3.116-2001	NM 06.3.116-2001	Rubber-insulated conductors and cables, with rated voltage at most equal to 450/750 V - Arc welding cables—06p.	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.117-2001	NM 06.3.117-2001	Conductors and cables insulated with rubber, of rated voltage at most equal to 450/750 V - Conductors with increased heat resistance, for a core temperature of 110 ° C, for internal wiring—09p.	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.118-2001	NM 06.3.118-2001	Rubber-insulated conductors and cables, with rated voltage at most equal to 450/750 V - Cables in polychloroprene sheath or equivalent synthetic elastomer for light garlands — 09p	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.119-2001	NM 06.3.119-2001	Conductors and cables insulated with rubber, of rated voltage at most equal to 450/750 V - Single conductor cables without sheath for fixed installation, having an emission of smoke and corrosive gases —15p.	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.120-2001	NM 06.3.120-2001	Rubber-insulated conductors and cables, with rated voltage at most equal to 450/750 V - Flexible cables with EPR insulation and polyurethane sheath —18p.	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.121-2001	NM 06.3.121-2001	Rubber-insulated conductors and cables, with rated voltage at most equal to 450/750 V - Flexible cables with EPR insulation and polyurethane sheath —07p.	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.122-2001	NM 06.3.122-2001	Rubber-insulated conductors and cables with a voltage of 450/750 V or less - Flexible cables with heat-resistant EPR insulation —30p.	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.123-2001	NM 06.3.123-2001	Conductors and cables insulated with rubber, of rated voltage at most equal to 450/750 V - Flexible single-conductor and multi-conductor cables, sheathed and cross-linked polymeric insulation, with low emission of fumes and corrosive gases —15p.	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.124-2001	NM 06.3.124-2001	Rubber insulated cables and conductors, rated voltage at most equal to 450/750 V - Cables for applications requiring flexibility high —18p.	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.271-2008	NM 06.3.271-2008	Insulated conductors and cables with thermoplastic materials of rated voltage at most equal to 450/750 V - General requirements (constituted with NM 06.3.272, NM 06.3.273 and NM 06.3.275 a revision of NM 06.3.005/1990); 29p	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.272-2008	NM 06.3.272-2008	Polyvinyl chloride insulated conductors and cables, with a rated voltage not higher than 450/750 V - Test methods (constituted with NM 06.3.271, NM 06.3.273 and NM 06.3.275 a revision of the NM 06.3.005/1990); 29p	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.3.273-2008	NM 06.3.273-2008	Polyvinyl chloride insulated conductors and cables, with a rated voltage not higher than 450/750 V - Conductors for fixed installations (constituted with NM 06.3.271, NM 06.3.272 and NM 06.3.275 a revision of NM 06.3.005/1990); 16p	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 06.3.275-2008	NM 06.3.275-2008	Polyvinyl chloride insulated conductors and cables, with a rated voltage not higher than 450/750 V - Test methods (constituted with NM 06.3.271, NM 06.3.272 and NM 06.3.273 a revision of the NM 06.3.005/1990); 20p	85.44.49.90.40	<ul style="list-style-type: none"> • 1000 M or • 10 000 Dhs
NM 06.5.020-2004	NM 06.5.020-2004	Circuit separation transformers and safety transformers — Rules - 119p.	8504.21 8504.31 8504.32 8504.33	<ul style="list-style-type: none"> * 10 000 Dhs * or 20
NM 06.6.001	NM 06.6.001	Switches for household and similar fixed electrical installations — Part 1: General requirements (Rev) (NM-Mandatory.) -88p.	85.36.50	<ul style="list-style-type: none"> • 500 or • 12 000 Dhs
NM 06.6.002-1990	NM 06.6.002-1990	Equipment for household and similar installations — Switches with a nominal current greater than 10 A — Switches with more than two poles — Switches for panels (NM - Mandatory) - 49 p.	85.36.50	<ul style="list-style-type: none"> • 500 or • 12 000 Dhs
NM 06.6.007-1976	NM 06.6.007-1976	Equipment for laying cables, conduits — General standards (NM - Mandatory) 20 p.	Ex 85.47.90.00.10 Ex 85.47.90.00.99	<ul style="list-style-type: none"> • 1000 M or • 5 000 Dhs
NM 06.6.027-2005	NM 06.6.027-2005	Lamp caps and holders as well as gauges for the control of interchangeability and safety — Holders (Rev) 34 p.	8535.90.90.99 8536.61 8539.90	<ul style="list-style-type: none"> * 100 or * 3000 Dhs
NM 06.6.030-2008	NM 06.6.030-2008	Bayonet lamp holders; (REV) (cancels and replaces NM 06.6.030/1992 and NM 06.6.031/1992) 59p	8536.61.10.00	<ul style="list-style-type: none"> * 100 or * 3000 Dhs
NM 06.6.032-2007	NM 06.6.032-2007	Edison screw lamp holders; (REV)	8536.61.10.00	<ul style="list-style-type: none"> * 100 or * 3000 Dhs
NM 06.6.071-2001	NM 06.6.071-2001	Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBOs) — Part 1: General rules - 141 p.	85.36.50	<ul style="list-style-type: none"> • 500 or • 5 000 Dhs
NM 06.6.090-2008	NM 06.6.090-2008	Sockets for household and similar uses — 6 A/250 V and 16 A/250 V systems; REV (cancels and replaces NM 06.6.009/1990, NM 06.6.010/1990 and NM 06.6.012/1997)	85.36.69	<ul style="list-style-type: none"> • 100 or • 5 000 Dhs
NM 06.6.117-2006	NM 06.6.117-2006	Low voltage fuses — Additional rules for fuses intended for use by authorized persons (fuses for essentially industrial uses) — Sections I to VI: Examples of standardized fuses	85.36.10.19.00	5000 Dhs
NM 06.6.126-2004	NM 06.6.126-2004	Sockets for household and similar uses — 20 A/400 V and 32 A/400 V systems — 52 p.	85.36.69.10.00 85.44.42.10.11 85.44.42.10.19 85.44.42.10.21 85.44.42.10.29 85.44.42.10.91 85.44.42.10.99 85.44.42.90.11 85.44.42.90.19 85.44.42.90.21 85.44.42.90.29 85.44.42.90.91 85.44.42.90.99	5000 Dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 06.6.250-2007	NM 06.6.250-2007	Conduit systems for cable management — Part 1: General requirements - 33p.	3914 7303.00 7304.31 7304.39 7304.41 7304.49 7304.51 7304.59 7304.90 7305.31 7305.39 7305.90 7306.30 7306.40 7306.50 Ex 7306.69.10.00 73.06.61.10.00 73.06.61.90.00 73.06.69.91.00 73.06.69.99.00 7306.90 7604.10 7604.21 7604.29 7608.10.00.91 7608.10.00.99 7608.20.00.90	5000 Dhs
NM 06.6.252-2007	NM 06.6.252-2007	Conduit systems for cable management — Part 22: Particular requirements — Pliable conduit systems; 11p	3917 8307 8547	5000 Dhs
NM 06.6.253-2007	NM 06.6.253-2007	Conduit systems for cable management — Part 23: Particular requirements — Flexible conduit systems; 10p.	3917 8307 8547	5000 Dhs
NM 06.7.003-2005	NM 06.7.003-2005	Household electrical heating appliances - Fixed non-instantaneous water heaters - General safety rules (Rev) -22p.	85.16.10.10.00	• 10 or • 10 000 Dhs
NM 06.7.006-1992	NM 06.7.006-1992	Incandescent lamps — Safety specifications — Part 1: Tungsten filament lamps for domestic and similar general lighting purposes - 19p.	Ex 85.39.21.90.00 85.39.22. Ex 85.39.29.90.00	• 2000 or • 5 000 Dhs
NM 06.7.009-1991	NM 06.7.009-1991	Double-capped fluorescent lamps — Performance specifications	85. 39.31 85. 39.39	• 2000 or • 5 000 Dhs
NM 06.7.014-1998	NM 06.7.014-1998	Self-ballasted lamps for general lighting services — Performance requirements - 09p.	8539.31 8539.39	• 2000 or • 5 000 Dhs
NM 06.7.015-1998	NM 06.7.015-1998	Double-capped fluorescent lamps — Safety specifications - 22p.	8539.31.00.10 8539.31.00.90	5000 Dhs
NM 06.7.017-1998	NM 06.7.017-1998	Single-capped fluorescent lamps — Safety specifications (NM - Mandatory) - 27p.	85. 39.31 85. 39.39	• 2000 or • 5 000 Dhs
NM 06.7.020-2005	NM 06.7.020-2005	Primary batteries — General; Rev 54 p.	85.06.10 à 80	* 100 or * 2000 Dhs
NM EN 60921-2012	NM 06.7.026	Ballasts for tubular fluorescent lamps — Performance requirements (IC 06.7.026)	85.04.10 Ex 94 05 10	• 300 or • 5 000 Dhs
NM CEI 61960-1	NM 06.7.031	Secondary lithium cells and batteries for portable applications — Part 1: Secondary lithium cells	8507.60.90.00 8507.90.80.00 8507.80.20.00 8507.80.98.00	100 U or 5000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM CEI 61960-2	NM 06.7.032	Secondary lithium cells and batteries for portable applications — Part 2: Secondary lithium batteries	8507.80.98.00 8507.60.90.00	100 U or 5000 dhs
NM CEI 61960-3	NM 06.7.033	Secondary cells and batteries containing alkaline or other non-acid electrolytes — Secondary lithium cells and batteries for portable applications — Part 3: Prismatic and cylindrical lithium secondary cells and batteries made from them	8507.20.00.00 8507.30.90.00 8507.40.90.00 8507.50.90.00 8507.60.90.00 8507.80.20.00 8507.80.98.00 8507.90.10.00 8507.90.21.00 8507.90.23.00 8507.90.29.00 8507.90.30.00 8507.90.80.00	100 U or 5000 dhs
NM CEI 62133	NM06.7.035	Secondary cells and batteries containing alkaline or other non-acid electrolytes — Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications	8507.30.90.00 8507.40.90.00 8507.50.90.00 8507.60.90.00 8507.80.20.00 8507.80.98.00	100 U or 5000 dhs
NM 06.7.040-1993	NM 06.7.040-1993	Household electrical heating appliances — Storage space heaters — Safety rules (NM - Mandatory) - 14 p.	85.16	• 10 or • 10 000 Dhs
NM EN 60335-1-2011	NM 06.7.053	Household and similar electrical appliances — Safety — Part 1: General requirements	85.16	• 20 or • 10 000 Dhs
NM 06.7.065-2003	NM 06.7.065-2003	Incandescent lamps — Safety specifications — Part 2: Tungsten halogen lamps for domestic and similar general lighting purposes - 08 p.	85.39.21.10.00 85.39.21.90.00	• 2000 or • 5 000 Dhs
NM 06.7.070-2000	NM 06.7.070-2000	Auxiliaries for lamps - Ballasts for discharge lamps (excluding tubular fluorescent lamps) - General and safety requirements -43p.	8504.10	5000 Dhs
NM EN 60923	NM 06.7.071	Auxiliaries for lamps — Ballasts for discharge lamps (excluding tubular fluorescent lamps) — Performance requirements	8504.10	5000 Dhs
NM 06.7.077-2007	NM 06.7.077-2007	Tungsten filament lamps for domestic and similar general lighting purposes — Performance requirements	EX 8539.21.90.00 EX 8539.22.00 EX 8539.29.90.00	5000 Dhs
NM EN 60598-1 - 2012	NM 06.7.080	Luminaires — Part 1: General requirements and tests	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.081--2003	NM 06.7.081--2003	Luminaires — Part 2: Particular requirements — Section one — Fixed general-purpose luminaires - 04 p.	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.082-2003	NM 06.7.082-2003	Luminaires — Part 2-2: Particular requirements — Recessed luminaires - 07 p.	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.083-2003	NM 06.7.083-2003	Luminaires — Part 2-3: Particular requirements — Luminaires for road and street lighting - 07 p.	9405.40	

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 06.7.084-2003	NM 06.7.084-2003	Luminaires — Part 2: Particular requirements — Section 4: Portable general-purpose luminaires - 05 p.	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.085-2003	NM 06.7.085-2003	Luminaires — Part 2-5: Particular requirements — Floodlights - 07p.	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.086-2003	NM 06.7.086-2003	Luminaires — Particular requirements — Luminaires with integrated transformer for tungsten filament lamps - 08 p.	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.088-2003	NM 06.7.088-2003	Luminaires — Part 2-8: Particular requirements — Handlamps - 12p.	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.089-2003	NM 06.7.089-2003	Luminaires — Part 2: Particular requirements — Section 9: Photo and film luminaires (non-professional) - 11p.	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.090-2003	NM 06.7.090-2003	Luminaires — Part 2: Particular requirements — Section 18: Luminaires for swimming pools and similar applications - 08 p.	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.091-2007	NM 06.7.091-2007	Luminaires — Particular requirements — Air circulation luminaires (safety rules)	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.092-2003	NM 06.7.092-2003	Luminaires — Part 2-20: Particular requirements — Lighting chains - 16p.	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.093-2003	NM 06.7.093-2003	Luminaires — Part 2-23: Particular requirements — Extra low-voltage lighting systems for filament lamps - 09p.	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.094-2003	NM 06.7.094-2003	Luminaires — Part 2-25: Particular requirements — Luminaires for use in clinical areas of hospitals and health care buildings - 13 p.	85.13 85.39.21 à 39 85.39.90 85.04.10 94.05.10/20/30/60 EX 94.05.40 .21 à EX 94.05.40.90	• 100 or • 15000 Dhs
NM 06.7.102-2003	NM 06.7.102-2003	Self-ballasted lamps for general lighting services — Safety requirements - 14 p.	85.39.31/32/39	• 2000 or • 5 000 Dhs
NM 06.9.071	NM 06.9.071	Digital Terrestrial Television reception equipment — General requirements and marking	85.28.72.10.10 85.28.72.10.90 85.28.72.91.00 85.28.72.99.10 85.28.71.99.20 85.28.72.99.20 85.28.72.99.91 85.28.72.99.99 EX 85.28.71.10.10 EX 85.28.73.00.00 EX 85.28.71.10.90 EX 85.28.71.91.00 EX 85.28.71.99.10 EX 85.28.71.99.91 EX 85.28.71.99.99	• 5 or • 15 000 Dhs
NM ISO 20345-2010	NM 09.5.007	Personal protective equipment — Safety footwear IC 09.5.007 Rev; 40p	Tout le chapitre 64 (à l'exception de 64.06, 64.02.12.00, 64.03.12.00, 64.04.11.00)	• 50 paires • 10 000 Dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 09.5.008-2002	NM 09.5.008-2002	Specifications of safety footwear for professional use — Additional specifications - 08 p.	Tout le chapitre 64 (à l'exception de 64.06, 64.02.12.00, 64.03.12.00, 64.04.11.00)	<ul style="list-style-type: none"> • 50 pairs • 10 000 Dhs
NM ISO 20346-2010	NM 09.5.009	Personal protective equipment — Protective footwear IC 09.5.009 Rev; 38p	Tout le chapitre 64 (à l'exception de 64.06, 64.02.12.00, 64.03.12.00, 64.04.11.00)	<ul style="list-style-type: none"> • 50 pairs • 10 000 Dhs
NM 09.7.001-2002	NM 09.7.001-2002	Protective gloves against chemicals and micro-organisms — Part 1: Terminology and performance requirements - 04 p.	4015.19.10.00	<ul style="list-style-type: none"> • 100 pairs • 10 000 Dhs
NM 09.7.004-2002	NM 09.7.004-2002	Protective gloves against mechanical risks - 08pm	4015.19.10.00	<ul style="list-style-type: none"> • 100 pairs • 10 000 Dhs
NM 09.7.005-2002	NM 09.7.005-2002	Protective gloves and other hand protective equipments against thermal risks (heat and/or fire)	4015.19.10.00	<ul style="list-style-type: none"> • 100 pairs • 10 000 Dhs
NM 09.7.006-2002	NM 09.7.006-2002	Protective gloves — General requirements 18p.	4015.19.10.00	<ul style="list-style-type: none"> • 100 pairs • 10 000 Dhs
NM 09.7.007-2002	NM 09.7.007-2002	Protective gloves against cold - 10p.	4015.19.10.00	<ul style="list-style-type: none"> • 100 pairs • 10 000 Dhs
NM 09.7.008-2002	NM 09.7.008-2002	Protective gloves for firefighters - 07p.	4015.19.10.00	<ul style="list-style-type: none"> • 100 pairs • 10 000 Dhs
NM 10.1.008-2009	NM 10.1.008-2009	Concrete — Specification, performance, production and conformity; Rev 63p.	Ex 25.23.29.00.00 25.23.90	
NM 10.1.616-2011	NM 10.1.616-2011	Fibres for concrete — Part 1: Steel fibres — Definitions, specifications and conformity	7325.99.90.91 7325.99.90.99 7326.19.90.81 7326.19.90.90 7326.20.90.90 7326.90.99.98	
NM 10.2.002-1988	NM 10.2.002-1988	Windows of wood or metal — Specifications - 53 p.	4418.10.00.10 4418.10.00.90 7308.30.00.00 7610.10.00.10	<ul style="list-style-type: none"> * 10 or * 10 000 Dhs
NM 10.2.035	NM 10.2.035	Doors and door units — Dimensional characteristics	39.25.20.00.10/90 44.18.20.00.10 44.18.20.00.90 73.08.30.00.00 76.10.10.00.10	<ul style="list-style-type: none"> * 10 or * 10 000 Dhs
NM 10.7.003-2000	NM 10.7.003-2000	Glass in building — Basic soda-lime silicate glass products — Part 1: Definitions and general physical and mechanical properties - 07p.	70.03 à 70.08 70.16	<ul style="list-style-type: none"> * 100m² or * 20 000 Dhs
NM 10.7.005-2000	NM 10.7.005-2000	Glass in building — Basic soda lime silicate glass products — Part 3: Polished wired glass - 08 p.	70.03 à 70.08 70.16	<ul style="list-style-type: none"> * 100m² or * 20 000 Dhs
NM 10.7.008-2001	NM 10.7.008-2001	Glass in building — Basic soda lime silicate glass products — Part 6: Wired patterned glass - 09 p.	70.03 à 70.08 70.16	<ul style="list-style-type: none"> * 100m² or * 20 000 Dhs
NM 10.7.009-2001	NM 10.7.009-2001	Glass in building — Basic soda lime silicate glass products — Part 7: Wired or unwired channel shaped glass - 08 p.	70.03 à 70.08 70.16	<ul style="list-style-type: none"> * 100m² or * 20 000 Dhs
NM 10.7.013-2000	NM 10.7.013-2000	Suspended ceilings — Requirements and test methods - 14 p.	70.03 à 70.08 70.16	<ul style="list-style-type: none"> * 100m² or * 20 000 Dhs
NM 10.7.014-2001	NM 10.7.014-2001	Glass in building — Thermally toughened soda lime silicate safety glass — 13 p.	70.03 à 70.08 70.16	<ul style="list-style-type: none"> * 100m² or * 20 000 Dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 10.7.015-2000	NM 10.7.015-2000	Glass in building — Security glazing — Testing and classification of resistance against manual attack - 17 p.	7003.20 7003.30.10.21 7003.30.10.29 7007.19 7007.29.00.00 7008.00.00.00 70.16	* 100m ² or * 20 000 Dhs
NM ISO 9051-2001	NM 10.7.024	Glass in Building — Fire-Resistant Glazed Assemblies Containing Transparent or Translucent Glass, for Use in Building - 04p. (IC 10.7.024)	7003.12.20 sauf 7003.12.20.10 7003.12.90 7003.19.20 7003.19.90 7003.20 sauf 7003.20.10.10 7003.30 sauf 7003.30.10.10 et 7003.30.10.30 7004.20.20 7004.20.90 7004.90.20 7004.90.90 7006.00.92 7007.19 7007.29.00.00 7008.00.00.00 70.16	* 100m ² or * 20 000 Dhs
NM 10.7.028-2001	NM 10.7.028-2001	Flat wired glass for building glazing - 09 p.	70.03 à 70.08 70.16	* 100m ² or * 20 000 Dhs
NM ISO 12543-2-2004	NM 10.7.039	Glass in building — Laminated glass and laminated safety glass — Part 2: Laminated safety glass - 06p. (IC 10.7.039)	70.03 à 70.08 70.16	* 100m ² or * 20 000 Dhs
NM ISO 12543-3-2001	NM 10.7.040	Glass in building — Laminated glass and laminated safety glass — Part 3: Laminated glass – 05p. (IC 10.7. 040)	70.03 à 70.08 70.16	* 100m ² or * 20 000 Dhs
NM 10.7.076-2005	NM 10.7.076-2005	Glass in construction - Special base products - Vitroceramics -10p.	70.03 à 70.08 70.16	* 100m ² or * 20 000 Dhs
NM 10.8.912-2010	NM 10.8.912-2010	Bitumen shingle sheets with cellulose felt reinforcement known as “cellulose bitumen shingles” - Specifications; 7 p.	6807.90.00.90	5 000 Dhs
NM 10.8.913-2013	NM 10.8.913-2013	Building work — Waterproofing of flat roofs and sloping roofs with load-bearing masonry elements	3909.50	5 000 Dhs
NM 11.1.027-2006	NM 11.1.027-2006	Paper bags for packaging cement — Specifications; 4 p.	4819	
NM 11.4.001-1987	NM 11.4.001-1987	Plastic packaging — Large open-mouth polyethylene bags — Specifications - 10 p.	3923.21	1000 Dhs
NM 11.4.003-1987	NM 11.4.003-1987	Plastic packaging — Unpackaged plastic containers intended for hazardous materials — Mechanical and physical characteristics — Tests (NM - Mandatory) - 18p.	3923	
NM 11.4.006-1998	NM 11.4.006-1998	Plastic packaging — Global migration of constituents of plastic materials and articles intended to come into contact with foodstuffs — Basic regulations - 15 p.	3923.10 3923.30 3923.50 3923.90	* 100 or * 10 000 Dhs
NM 14.2.002-2010	NM 14.2.002-2010	Gas cylinders — Specifications and testing of LPG cylinder valves — Manually operated; Rev, 18 p.	Ex 84.81.80.90.10 / 90	• 100 or • 5 000 Dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM EN 88-1-2012	NM 14.2.003	Pressure regulators and associated safety devices for gas appliances — Part 1: Pressure regulators for inlet pressures up to and including 50 kPa	Ex 84.81.10.91.00 EX 84.81.10.99.10 EX 84.81.10.99.90 Ex 84.81.90.10.00	<ul style="list-style-type: none"> • 100 or • 5 000 Dhs
NM 14.2.005-1991	NM 14.2.005-1991	Sequential burners for domestic cooking appliances using gas fuels (NM - Mandatory) - 06 p.	EX 73.21.90.10.00 Ex 73.21.90.90.00 84.16.10.00.00 84.16.20.00.00	<ul style="list-style-type: none"> • 100 or • 5 000 Dhs
NM 14.2.008-1992	NM 14.2.008-1992	Built-in domestic cooking appliances burning gas (NM - Mandatory) - 12 p.	Ex 73.21.11.11.00 Ex 73.21.11.13.00 Ex 73.21.11.17.00 Ex 73.21.19.10.00 Ex 73.21.11.91.00 Ex 73.21.11.93.00 Ex 73.21.11.97.00	<ul style="list-style-type: none"> • 5 or • 5 000 Dhs
NM EN 30-1-1-2012	NM 14.2.010	Domestic cooking appliances burning gas — Part 1-1: Safety — General (IC 14.2.010)	Ex 73.21.11.11.00 Ex 73.21.11.13.00 Ex 73.21.11.17.00 Ex 73.21.19.10.00 Ex 73.21.11.91.00 Ex 73.21.11.93.00 Ex 73.21.11.97.00	<ul style="list-style-type: none"> • 5 or • 5 000 Dhs
NM 14.2.017-1993	NM 14.2.017-1993	Apparatus for instantaneous production of hot water for sanitary purposes using gas fuels with automatic power variation (NM-Mandatory) -14p.	84.19.11.11.00 84.19.11.19.00 84.19.11.90.00 73.21.81.10.00	<ul style="list-style-type: none"> • 5 or • 10 000 Dhs
NM ISO 5155-2001	NM 14.2.019	Household refrigerating appliances - Preserves of frozen food and freezers - Characteristics and test methods (IC: NM 14.2.019) REV -42p.	Ex 84.18.10.00.11 Ex 84.18.10.00.19 84.18.21	<ul style="list-style-type: none"> • 5 or • 10 000 Dhs
NM ISO 7371-2001	NM 14.2.023	Household refrigeration appliances - Household refrigerators with or without low temperature compartment - Characteristics and test methods (IC: NM 14.2.023) REV -51p.	84.18.29.10.10 84.18.29.10.91 84.18.29.10.99 84.18.29.90.10 84.18.29.90.90	<ul style="list-style-type: none"> • 5 or • 10 000 Dhs
NM ISO 8187-2001	NM 14.2.027	Household refrigerator - Refrigerator-freezers - Characteristics and test methods (IC: NM 14.2.027) - 56p.	Ex 84.18.30.00.11 Ex 84.18.30.00.19 Ex 84.18.40.00.11 Ex 84.18.40.00.19 Ex 84.18.50.80.11 Ex 84.18.50.80.19	<ul style="list-style-type: none"> • 5 or • 10 000 Dhs
NM 14.2.040-1994	NM 14.2.040-1994	Bread oven for domestic use using fuels (NM - Mandatory); 15 p.	73.21.11.11.00 73.21.11.13.00 73.21.11.17.00 EX 73.21.19.10.00 73.21.11.21.00 73.21.11.23.00 73.21.11.27.00 73.21.11.91.00 73.21.11.93.00 73.21.11.97.00	<ul style="list-style-type: none"> • 5 or • 10 000 Dhs
NM 14.2.041-2005	NM 14.2.041-2005	Home cookware — Pressure cookers (Rev); 23 p.	Ex 73.23.93.00.10 Ex 76.15.10.00.11 76.15.10.00.21 EX 76.15.10.00.29 EX 85.16.79.00.00	<ul style="list-style-type: none"> • 50 • 10.000Dhs
NM ISO 8442-1-2000	NM 14.2.050	Materials and articles in contact with foodstuffs — Cutlery and table holloware — Part 1: Requirements for cutlery for the preparation of food	EX 82.11 EX 82.15	<ul style="list-style-type: none"> • 200 pieces or • 5 000 Dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM ISO 8442-2	NM 14.2.051	Materials and articles in contact with foodstuffs — Cutlery and table holloware — Part 2: Requirements for stainless steel and silver-plated cutlery	8211 8215	
NM 14.2.065-2007	NM 14.2.065-2007	Specifications for appliances operating exclusively on liquefied petroleum gas. Portable appliances supplied with the vapor pressure of petroleum gas contained in their supply containers; REV 60 p.	7321.19.90.10 Ex 7321.89.00.00 Ex 7321.90.10.00 8536.69.90.10 8536.69.90.90	<ul style="list-style-type: none"> • 30 or • 10 000 Dhs
NM 14.2.088-2005	NM 14.2.088-2005	Household and similar electrical appliances — Safety — Part 2-3: Particular requirements for electric irons; 16 p.	8516 (à l'exception de 8516.90)	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.090-2003	NM 14.2.090-2003	Safety of household and similar electric appliances — Particular requirements for grills, toasters and similar portable cooking appliances; 17 p.	8516	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.092-2005	NM 14.2.092-2005	Household and similar electrical appliances — Safety — Part 2-13: Particular requirements for deep fat fryers, frying pans and similar appliances; 13 p.	EX 85.16.60.00.00 85.16.79.00.00	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.093-2005	NM 14.2.093-2005	Household and similar electrical appliances — Safety — Part 2-14: Particular requirements for kitchen machines; 26 p.	EX 85.16	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.094-2005	NM 14.2.094-2005	Household and similar electrical appliances — Safety — Part 2-15: Particular requirements for appliances for heating liquids; 21 p.	85.16	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.097-2005	NM 14.2.097-2005	Household and similar electrical appliances — Safety — Part 2-35: Particular requirements for instantaneous water heaters; 20 p.	85.16.10.10.00	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM ISO 9994-2005	NM 14.2.099	Lighters — Safety Specifications (Rev) (IC: NM 14.2.099) 25 p.	9613 (sauf 9613.10.00.91, 9613.20.00.91 et 9613.80.00.21)	<ul style="list-style-type: none"> • 500 or • 5 000 Dhs
NM 14.2.120-2010	NM 14.2.120-2010	Low-pressure, non-adjustable regulators having a maximum outlet pressure of less than or equal to 200 mbar, with a capacity of less than or equal to 4 kg/h, and their associated safety devices for butane, propane or their mixtures; 107 P	Ex 84.81.10.10.00 Ex 84.81.90.30.00	<ul style="list-style-type: none"> • 100 or • 5 000 Dhs
NM 14.2.121-2002	NM 14.2.121-2002	Low pressure regulator for commercial propane for domestic use — Construction, Function, Marking, and Tests (Rev); 24 p.	Ex 84.81.10.10.00 Ex 84.81.90.30.00	<ul style="list-style-type: none"> • 100 or • 5 000 Dhs
NM 14.2.137-2004	NM 14.2.137-2004	Safety of household and similar electric appliances — Particular requirements for vacuum cleaners and water-suction cleaning appliances; 17 p.	EX 85.09.10	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.138-2004	NM 14.2.138-2004	Household and similar electrical appliances — Safety — Part 2-4: Particular requirements for spin extractors; 12 p.	84.21	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.139-2004	NM 14.2.139-2004	Safety of household and similar electric appliances — Particular requirements for dishwashers; 17 p.	8422.11 8422.19	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.146-2004	NM 14.2.146-2004	Household and similar electrical appliances — Safety — Part 2-37: Particular requirements for commercial electric doughnut fryers and deep fat fryers; 20p.	8419.81	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 14.2.147-2004	NM 14.2.147-2004	Household and similar electrical appliances — Safety — Part 2-36: Particular requirements for commercial electric cooking ranges, ovens, hobs and hob elements; 33 p.	8419.81	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.148-2004	NM 14.2.148-2004	Household and similar electrical appliances — Safety — Part 2-38: Particular requirements for commercial electric griddles and griddle grills; 19 p.	8419.81	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.149-2004	NM 14.2.149-2004	Household and similar electrical appliances — Safety — Part 2-39: Particular requirements for commercial electric multi-purpose cooking pans; 18 p.	EX 85.16.60.00.00 EX 85.16.79.00.00	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.152-2004	NM 14.2.152-2004	Household and similar electrical appliances — Safety — Part 2-48: Particular requirements for commercial electric grillers and toasters; 13 p.	8419.81	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.153-2004	NM 14.2.153-2004	Household and similar electrical appliances — Safety — Part 2-58: Particular requirements for commercial electric dishwashing machines; 23 p.	8419.81	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.154-2005	NM 14.2.154-2005	Household and similar electrical appliances — Safety — Part 2-61: Particular requirements for thermal storage room heaters; 19 p.	8419.81	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.155-2005	NM 14.2.155-2005	Safety of household and similar electric appliances — Particular requirements for commercial electric kitchen machines; 19 p.	8419.81	<ul style="list-style-type: none"> • 20 or • 10 000 Dhs
NM 14.2.260-2005	NM 14.2.260-2005	Lighters — Child safety requirements for lighters — Safety requirements and test methods; 12 p.	Ex 96.13.10.00.10 Ex 96.13.10.00.99 Ex 96.13.20.00.10 Ex 96.13.20.00.99 Ex 96.13.80.00.11 Ex 96.13.80.00.19 Ex 96.13.80.00.29 Ex 96.13.80.00.30 Ex 96.13.80.00.91 Ex 96.13.80.00.99 96.14.20 96.14.90.19 96.14.90.99	<ul style="list-style-type: none"> • 500 or • 5 000 Dhs
NM ISO 22702-2007	NM 14.2.294	Utility lighters — General consumer safety specifications; (IC 14.2.294) 24 p.	9613 (sauf 9613.10.00.91, 9613.20.00.91 et 9613.80.00.21)	<ul style="list-style-type: none"> • 500 or • 5 000 Dhs
NM 14.3.001-1992	NM 14.3.001-1992	Gas heated catering equipment (NM - Mandatory) 47 p.	Ex 84.19.81.20.00 Ex 84.19.81.80.00	<ul style="list-style-type: none"> • 5 or • 10 000 Dhs
NM ISO 7175-1-2007	NM 14.4.012	Furniture — Children's cots and folding cots for domestic use — Part 1: Safety requirements; (IC 14.4.012) 9 p.	9403.20 9403.50 9403.60 9403.70 9403.89.00.10/ 20/ 29/ 30/ 40/ 80 EX 94.03.81.00.00	<ul style="list-style-type: none"> • 5 or • 10 000 Dhs
NM ISO 9221-1-2007	NM 14.4.020	Furniture — Children's high chairs — Part 1: Safety requirements; (IC 14.4.020) 5 p.	94.01.51.00.00 94.01.59.00.00 9401.61 9401.69 9401.71 9401.79 9401.80	<ul style="list-style-type: none"> • 10 or • 5 000 Dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM ISO 9098-1-2006	NM 14.4.024	Bunk beds for domestic use — Safety requirements and tests — Part 1: Safety requirements; (IC 14.4.024) 6 p.	9403.20 9403.50 9403.60 9403.70 9403.89.00.10/ 20/ 29/ 30/ 40/ 80 EX 94.03.81.00.00	<ul style="list-style-type: none"> • 5 or • 10 000 Dhs
NM 14.4.028	NM 14.4.028	Single beds with raised bed from 600 mm to 800 mm from the ground	9403.20 9403.50 9403.60 9403.70 9403.89.00.10/ 20/ 29/ 30/ 40/ 80 EX 94.03.81.00.00	
NM 14.4.030-2006	NM 14.4.030-2006	Furniture — Domestic use fixed platform mezzanine beds — Safety specifications and tests — Safety specifications; 8 p.	9403.20 9403.50 9403.60 9403.70 9403.89.00.10/ 20/ 29/ 30/ 40/ 80 EX 94.03.81.00.00	<ul style="list-style-type: none"> • 5 or • 10 000 Dhs
NM ISO 6486-1-2002	NM 20.1.001	Ceramic ware, glass ceramic ware and glass dinnerware in contact with food — Release of lead and cadmium — Part 1: Test method (IC : NM 20.1.001) - 7 p.	Ex 69.11.10.00 EX 69.12.00.00 7013220000 7013330000 7013280010 7013370010 ex7013280020 ex7013370020 ex7013280020 ex7013370020 7013280090 7013370090	<ul style="list-style-type: none"> • 500 pieces or • 5 000 Dhs
NM ISO 6486-2-2002	NM 20.1.002	Ceramic ware, glass-ceramic ware and glass dinnerware in contact with food — Release of lead and cadmium — Part 2: Permissible limits (IC : NM 20.1.002) 5 p.	Ex 69.11.10.00 EX 69.12.00.00 7013220000 7013330000 7013280010 7013370010 ex7013280020 ex7013370020 ex7013280020 ex7013370020 7013280090 7013370090	<ul style="list-style-type: none"> • 500 pieces or • 5 000 Dhs
NM 20.1.004	NM 20.1.004	Ceramic cookware in contact with food — Release of lead and cadmium — Permissible limits REV NM ISO 8391-2.3P	EX 69.11 EX 69.12	<ul style="list-style-type: none"> • 500 pieces or • 5 000 Dhs
NM EN 71-1	NM 21.8.001	Safety of toys — Part 1: Mechanical and physical properties	95.03.00.10.10/ 21/ 29/ 91/ 99 EX 95.03.00.20.11/ 19 EX 95.06.99 95.03.00.20.21/ 29/ 91/ 99 95.03.00.91.10/ 90 95.03.00.92.10/ 20/ 30/ 40/ 50/ 90 95.03.00.93.10/ 20/ 30/ 40/ 50/ 90 95.03.00.94.11/ 12/ 13/ 19/ 91/ 92/ 93/ 94/ 95. 99 95.03.00.95.10/ 90 95.03.00.96.10/ 20/ 30/ 40/ 50/ 90 95.03.00.98.10/ 91/ 99 EX 95.03.00.97.00 EX 95.03.00.99.10/ 91 à 96/ 99 EX 95.04.50.00.00 EX 85.04.90.00.80 EX 96.08.30.10.10/ 90 EX 96.08.30.90.10/ 90 EX 95.05.90.00.00 EX 95.06.62.00.00	<ul style="list-style-type: none"> • 30 or • 5 000 Dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM EN 71-2 (21-8-002)	NM 21.8.002	Safety of toys — Part 2: Flammability	95.03.00.10.10/ 21/ 29/ 91/ 99 EX 95.03.00.20.11/ 19 EX 95.06.99 95.03.00.20.21/ 29/ 91/ 99 95.03.00.91.10/ 90 95.03.00.92.10/ 20/ 30/ 40/ 50/ 90 95.03.00.93.10/ 20/ 30/ 40/ 50/ 90 95.03.00.94.11/ 12/ 13/ 19/ 91/ 92/ 93/ 94/ 95. 99 95.03.00.95.10/ 90 95.03.00.96.10/ 20/ 30/ 40/ 50/ 90 95.03.00.98.10/ 91/ 99 EX 95.03.00.97.00 EX 95.03.00.99.10/ 91 à 96/ 99 EX 95.04.50.00.00 EX 85.04.90.00.80 EX 96.08.30.10.10/ 90 EX 96.08.30.90.10/ 90 EX 95.05.90.00.00 EX 95.06.62.00.00	<ul style="list-style-type: none"> • 30 or • 5 000 Dhs
NM EN 71-3	NM 21.8.003 - 2010	Safety of toys — Part 3: Migration of certain elements	95.03.00.10.10/ 21/ 29/ 91/ 99 EX 95.03.00.20.11/ 19 EX 95.06.99 95.03.00.20.21/ 29/ 91/ 99 95.03.00.91.10/ 90 95.03.00.92.10/ 20/ 30/ 40/ 50/ 90 95.03.00.93.10/ 20/ 30/ 40/ 50/ 90 95.03.00.94.11/ 12/ 13/ 19/ 91/ 92/ 93/ 94/ 95. 99 95.03.00.95.10/ 90 95.03.00.96.10/ 20/ 30/ 40/ 50/ 90 95.03.00.98.10/ 91/ 99 EX 95.03.00.97.00 EX 95.03.00.99.10/ 91 à 96/ 99 EX 95.04.50.00.00 EX 85.04.90.00.80 EX 96.08.30.10.10/ 90 EX 96.08.30.90.10/ 90 EX 95.05.90.00.00 EX 95.06.62.00.00	<ul style="list-style-type: none"> • 30 or • 5 000 Dhs
NM EN 71-4	NM 21.8.004- 2010	Safety of toys — Part 4: Experimental sets for chemistry and related activities	95.03.00.97.00	<ul style="list-style-type: none"> • 30 or • 5 000 Dhs
NM EN 71-5	NM 21.8.005- 2010	Safety of toys — Part 5: Chemical toys (sets) other than experimental sets (Rev.); 81 p.	32.13.10.00.00 32.13.90.00.00 34.07.00.90.10 95.03.00.97.00	<ul style="list-style-type: none"> • 30 or • 5 000 Dhs
NM 21.8.006- 1999	NM 21.8.006- 1999	Safety of toys — Part 6: Graphical symbol for age warning labelling - 4 p.	95.03.00.10.10/ 21/ 29/ 91/ 99 EX 95.03.00.20.11/ 19 EX 95.06.99 95.03.00.20.21/ 29/ 91/ 99 95.03.00.91.10/ 90 95.03.00.92.10/ 20/ 30/ 40/ 50/ 90 95.03.00.93.10/ 20/ 30/ 40/ 50/ 90 95.03.00.94.11/ 12/ 13/ 19/ 91/ 92/ 93/ 94/ 95. 99 95.03.00.95.10/ 90 95.03.00.96.10/ 20/ 30/ 40/ 50/ 90 95.03.00.98.10/ 91/ 99 EX 95.03.00.97.00 EX 95.03.00.99.10/ 91 à 96/ 99 EX 95.04.50.00.00 EX 85.04.90.00.80 EX 96.08.30.10.10/ 90 EX 96.08.30.90.10/ 90 EX 95.05.90.00.00 EX 95.06.62.00.00	

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 21.8.010-1999	NM 21.8.010-1999	Children's felt-tip pens — Safety requirements and tests - 6 p.	96.08.20.90.00	<ul style="list-style-type: none"> • 500 paquets or • 5 000 Dhs
NM EN 62115	NM 21.8.017	Electric toys — Safety	95.03.00.10.10/ 21/ 29/ 91/ 99 95.03.00.20.11/ 19/ 21/ 29/ 91/ 99 95.03.00.91.10/ 90 95.03.00.92.10/ 20/ 30/ 40/ 50/ 90 95.03.00.93.10/ 20/ 30/ 40/ 50/ 90 95.03.00.94.11/ 12/ 13/ 19/ 91 à 95/ 99 95.03.00.95.10/ 90 95.03.00.96.10/ 20/ 30/ 40/ 50/ 90 95.03.00.98.10/ 91/ 99 95.03.00.97.00 95.03.00.99.10/ 91 à 96/ 99 EX 95.04.50.00.00 85.04.90.00.80 96.08.30.10.10/ 90 96.08.30.90.10/ 90 95.04.10.00.00 95.04.20.10.00 95.04.20.90.10/ 90 95.04.30.10.00/ 90 95.04.40.00.00 95.04.90.00.10/ 20/ 90	<ul style="list-style-type: none"> • 30 or • 5 000 Dhs
NM 21.8.030-1999	NM 21.8.030-1999	Rules for the marking of children's boats and pneumatic mattresses - 4 p.	95.03.00.10.10/ 21/ 29/ 91/ 99 EX 95.03.00.20.11/ 19 EX 95.06.99 95.03.00.20.21/ 29/ 91/ 99 95.03.00.91.10/ 90 95.03.00.92.10/ 20/ 30/ 40/ 50/ 90 95.03.00.93.10/ 20/ 30/ 40/ 50/ 90 95.03.00.94.11/ 12/ 13/ 19/ 91/ 92/ 93/ 94/ 95. 99 95.03.00.95.10/ 90 95.03.00.96.10/ 20/ 30/ 40/ 50/ 90 95.03.00.98.10/ 91/ 99 EX 95.03.00.97.00 EX 95.03.00.99.10/ 91 à 96/ 99 EX 95.04.50.00.00 EX 85.04.90.00.80 EX 96.08.30.10.10/ 90 EX 96.08.30.90.10/ 90 EX 95.05.90.00.00 EX 95.06.62.00.00	
NM EN 1466 + A1	NM 21.8.034	Child use and care articles — Carry cots and stands — Safety requirements and test methods	95.03.00.10.10/ 21/ 29/ 91/ 99 EX 95.03.00.20.11/ 19 EX 95.06.99 95.03.00.20.21/ 29/ 91/ 99 95.03.00.91.10/ 90 95.03.00.92.10/ 20/ 30/ 40/ 50/ 90 95.03.00.93.10/ 20/ 30/ 40/ 50/ 90 95.03.00.94.11/ 12/ 13/ 19/ 91/ 92/ 93/ 94/ 95. 99 95.03.00.95.10/ 90 95.03.00.96.10/ 20/ 30/ 40/ 50/ 90 95.03.00.98.10/ 91/ 99 EX 95.03.00.97.00 EX 95.03.00.99.10/ 91 à 96/ 99 EX 95.04.50.00.00 EX 85.04.90.00.80 EX 96.08.30.10.10/ 90 EX 96.08.30.90.10/ 90 EX 95.05.90.00.00 EX 95.06.62.00.00	

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 21.8.037-2000	NM 21.8.037-2000	Childcare articles - Playpens - Safety requirements and tests - 9 p.	95.03.00.10.10/ 21/ 29/ 91/ 99 EX 95.03.00.20.11/ 19 EX 95.06.99 95.03.00.20.21/ 29/ 91/ 99 95.03.00.91.10/ 90 95.03.00.92.10/ 20/ 30/ 40/ 50/ 90 95.03.00.93.10/ 20/ 30/ 40/ 50/ 90 95.03.00.94.11/ 12/ 13/ 19/ 91/ 92/ 93/ 94/ 95. 99 95.03.00.95.10/ 90 95.03.00.96.10/ 20/ 30/ 40/ 50/ 90 95.03.00.98.10/ 91/ 99 EX 95.03.00.97.00 EX 95.03.00.99.10/ 91 à 96/ 99 EX 95.04.50.00.00 EX 85.04.90.00.80 EX 96.08.30.10.10/ 90 EX 96.08.30.90.10/ 90 EX 95.05.90.00.00 EX 95.06.62.00.00	
NM 22.0.010-2003	NM 22.0.010-2003	Packaging and labeling of automotive equipment and accessories - 4 p.	40.13.10.00.10 70.07.11/ 21 70.09.10 83.01.20.00.10/90 83.02.30 83.10.00.10.00 84.07.33.10.00/ 34.10.00 84.09.91.29.10 / 30.10 84.09.99.21.00 84.15.20 / 84.21.99.21.00 / 84.83.10 85.07.10.00.10 / 85.07.20.00.00 85.07.30.10.00/ 40.10.00/ 50.10.00 85.07.60.10.00/ 80.05.00 85.12.20 85.27.21.99.93 / 85.39.10/ 90.10.00 87.08 3926901200 / 2200/ 3200 / 4200/ 5200 3926906200/7200/7800/8100/8910/ 8980 8536702000 3926909210/ 20/ 30/ 40 3006919000/ 3926909275 9619003900 EX 40.10/ 11/ 12/ 16/ 17 EX 4205001010/ 20/ 30/ 40/ 90 EX 59.11/ 73.20 EX 84.08/ 13/ 14/ 81/ 82/ 84	<ul style="list-style-type: none"> • 100 or • 15 000 Dhs
NM 22.0.021-2015	NM 22.0.021	Road vehicles — Passenger car wheels for road use — Test methods and requirements (IC22.0.021)	87.08.70.00.00	20000 Dhs
NM ISO 3911	NM 22.0.023	Wheels and rims for pneumatic tyres — Vocabulary, designation and marking	87.08.70.00.00	20000 Dhs
NM ISO 5287-2006	NM 22.1.014	Belt drives — Narrow V-belts for the automotive industry — Fatigue test (IC 22.1.014) 11 p.	4010.31/32/33/34/35/36/39	<ul style="list-style-type: none"> • 100 or • 10 000 Dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
NM 22.1.019-2015	NM 22.1.019	Belt drives — V-ribbed belts or synchronous belts for the automotive industry — Determination of tensile strength or break strength (IC 22.1.019)	40.10.31.00 40.10.33.00 40.10.39.00.11 40.10.39.00.19 40.10.35.00 40.10.36.00 40.10.39.00.21 40.10.39.00.29 40.10.39.00.31 40.10.39.00.39 40.10.39.00.41 40.10.39.00.49 4010.39.00.91 4010.39.00.99	10 U or 50000 Dhs
NM 22.2.017-1998	NM 22.2.017-1998	12-volt lead acid batteries - Technical specifications and tests - 11 p.	85.07.10.00.10 EX 85.07.10.00.90 85.07.20.00.00	<ul style="list-style-type: none"> • 100 or • 15 000 Dhs
NM ISO 4925 - 2010	NM 22.6.013	Road vehicles — Specification of non-petroleum-based brake fluids for hydraulic systems (IC 22.6.013)	27.10.19.80.21 27.10.19.80.81 27.10.19.80.89 Ex 27.10.20.00.99 3403.19.90.00 3819.00.10.00 3819.00.90.00	5000 Dhs or 100 récipients
NM ISO 3996 - 2009	NM 22.6.123	Road vehicles — Brake hose assemblies for hydraulic braking systems used with non-petroleum-base brake fluid (IC 22.6.123) 17 p.	4016.99.29.00	
NM ISO 6120 - 2009	NM 22.6.124	Road vehicles — Brake hose assemblies for hydraulic braking systems used with petroleum-base brake fluid (IC 22.6.124) 16 p.	4016.99.29.00	
NM 22.6.200-2006	NM 22.6.200-2006	Automotive clutch lining — 11 p.	EX 87.08.93	<ul style="list-style-type: none"> • 100 or • 10 000 Dhs
NM 22.6.201-2009	NM 22.6.201-2009	Road vehicles — Brake linings — Specifications and test methods — 9 p.	8505.20.00.00	<ul style="list-style-type: none"> • 100 or • 10 000 Dhs
NM 22.6.230	NM 22.6.230	Road vehicles — Brake discs and drums — Specifications and test methods	8708.30	
NM ISO 10190-2015	NM 22.8.114	Motorcycle chains — Characteristics and test methods (IC 22.8.114)	73.15.11.00.10 73.15.11.00.90 73.15.12.00.10 73.15.12.00.90 74.19.10.00.00 75.08.90.90.00 76.16.99.90.80	50 U or 10 000Dhs
NM 22.8.118-2003	NM 22.8.118-2003	Protective helmets for motorcycle, moped and motorized bike users — Visors — 11 p.	EX 65.07.00.00.90	<ul style="list-style-type: none"> • 100 • 15 000 Dhs
NM 22.8.119-2003	NM 22.8.119-2003	Protective helmets for motorcycle, moped and motorized bike users — Resistance to roll-off and to ageing — 6 p.	Ex 65.06.10.00.10 EX 65.06.10.00.90	<ul style="list-style-type: none"> • 100 • 15 000 Dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Order	Order No. 3486-13	Detergent	1108110000	
			1108120000	
			1108130000	
			1108140000	
			1108190010	
			1108190090	
			1108200000	
			2806100010	
			2806100020	
			2806100090	
			2815110000	
			2815120000	
			2828900010	
			2828900020	
			2828900030	
			2828900040	
			2828900090	
			2853100000	
			2853909020	
			2853909090	
			3401191000	
			3401192000	
			3401193100	
			3401193900	
			3401194000	
			3401195010	
			3401195090	
			3401196100	
			3401196900	
			3401199000	
			3401202000	
			3402111000	
			3402119000	
			3402120000	
			3402130000	
			3402190000	
			3402200000	
			3402901100	
			3402901300	
			3402901700	
			3402909010	
			3402909090	
			3405200000	
			3405400000	
			3808594011	
			3808594019	

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
			3808594090	
			3808941100	
			3808941920	
			3808941980	
			3808949010	
			3808949080	
			3814000010	
			3814000020	
			3814000090	
			3820001000	
			3820009010	
			3820009090	
			3824101000	
			3824109100	
			3824109900	
			3824301000	
			3824309000	
			3824401000	
			3824409000	
			3824501000	
			3824509000	
			3824600010	
			3824600090	
			3824712000	
			3824718000	
			3824721000	
			3824729000	
			3824731000	
			3824739000	
			3824741000	
			3824749000	
			3824751000	
			3824759000	
			3824761000	
			3824769000	
			3824771000	
			3824779000	
			3824781000	
			3824789000	
			3824792000	
			3824798000	
			3824811000	
			3824819000	
			3824821000	
			3824829000	
			3824831000	
			3824839000	

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
			3824841000	
			3824849000	
			3824851000	
			3824859000	
			3824861000	
			3824869000	
			3824871000	
			3824879000	
			3824881000	
			3824889000	
			3824911000	
			3824919000	
			3824990500	
			3824991000	
			3824992000	
			3824993000	
			3824994000	
			3824995000	
			3824996011	
			3824996012	
			3824996013	
			3824996014	
			3824996015	
			3824996016	
			3824996017	
			3824996019	
			3824996021	
			3824996029	
			3824996030	
			3824996040	
			3824996050	
			3824996090	
			3824997000	
			3824998000	
			3824999100	
			3824999200	
			3824999300	
			3824999400	
			3824999500	
			3824999600	
			3824999700	
			3824999911	
			3824999912	
			3824999913	
			3824999914	
			3824999915	
			3824999916	

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
			3824999917	
			3824999918	
			3824999919	
			3824999921	
			3824999922	
			3824999923	
			3824999924	
			3824999925	
			3824999926	
			3824999927	
			3824999929	
			3824999931	
			3824999939	
			3824999940	
			3824999950	
			3824999991	
			3824999992	
			3824999993	
			3824999994	
			3824999995	
			3824999999	
			6805100000	
			6805200000	
			6805300010	
			6805300090	
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504101000	• 300 or • 5 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504109100	• 300 or • 5 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504109800	• 300 or • 5 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504211000	• 20 or • 10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504218100	• 20 or • 10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504218900	• 20 or • 10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504219900	• 20 or • 10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504311000	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504319100	10 000 dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504319200	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504319300	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504319800	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504321000	15 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504329100	15 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504329200	15 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504329800	15 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504331000	15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504339100	15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504339900	15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504401000	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504409910	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8504409980	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8509400010	8000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8509400090	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8509800010	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8509800020	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8509800090	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8509900000	10 000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516101000	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516102000	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516210000	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516290000	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516310000	• 30 U or • 5000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516320000	• 50 U or • 5000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516330000	• 30 U or • 5000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516400000	• 30 U or • 5000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516500000	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516600000	10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516710000	• 20 U or • 10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516720000	• 20 U or • 10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516790000	• 20 U or • 10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516800000	10,000
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516901000	5000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8516909000	5000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8527219993	*40 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528420000	*15 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528490000	*15 U *15000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528520000	*15 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528590000	*15 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528620000	*15 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528690000	*15 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528711010	*5 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528711090	*15 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528719100	
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528719910	*5 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528719920	*5 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528719991	*5 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528719999	
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528721010	*5 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528721090	*15 U *12000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528729100	
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528729910	*5 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528729920	*5 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528729991	*5 U *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528729999	
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8528730000	*20 U *10000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8531100000	*20 U *10000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8531200000	*20 U *10000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8531800000	*20 U *10000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8531900000	*20 U *10000 dhs
EMC Order	Order No. 2574-14		8535100010	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535100090	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535210010	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535210040	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535210092	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535210098	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535290010	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535290090	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535301010	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535301091	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535301099	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535309010	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535309040	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535309050	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535309092	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535309098	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535901000	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535909010	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535909021	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535909023	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535909025	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535909029	*100 U or *10 000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
EMC Order	Order No. 2574-14		8535909091	*100 U or *10 000 dhs
EMC Order	Order No. 2574-14		8535909099	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536301100	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536301900	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536309010	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536309090	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536410011	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536410019	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536410030	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536410091	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536410099	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536490011	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536490019	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536490030	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536490091	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536490099	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536500500	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536501300	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536501900	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536509011	*100 U or *10 000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536509012	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536509013	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536509017	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536509080	*100 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536611000	*30 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536619010	*30 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536619090	*30 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536691000	* 30 U or * 10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536699010	* 30 U or * 10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536699090	* 30 U or * 10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536701000	*150 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536702000	*150 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536901000	*150 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536902000	*150 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536903000	*150 U or *5000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909011	*150 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909013	*150 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909015	*150 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909017	*150 U or *10 000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909019	*150 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909021	*150 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909029	*150 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909030	*150 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909091	*50 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909092	*50 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909093	*30 U or *15 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8536909097	*50 U or *10 000 dhs
Low Voltage Order	Order No. 2573-14		8539101100	*50 U or *10 000 dhs
Low Voltage Order	Order No. 2573-14		8539101900	*50 U or *10 000 dhs
Low Voltage Order	Order No. 2573-14		8539109100	*50 U or *10 000 dhs
Low Voltage Order	Order No. 2573-14		8539109900	*50 U or *10 000 dhs
Low Voltage Order	Order No. 2573-14		8539211000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539219000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539220010	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539220090	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539291000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539299000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539310010	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539310090	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539320000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539390000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539411000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539419000	*100 U or *15 000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order	Order No. 2573-14		8539491000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539499000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539500000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539901000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539909010	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8539909090	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8540110000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8540120000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8540200000	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8540400020	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8540400080	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8540600010	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8540600090	
Low Voltage Order	Order No. 2573-14		8540710000	
Low Voltage Order	Order No. 2573-14		8540790010	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8540790090	*100 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8540810010	5000 dh
Low Voltage Order	Order No. 2573-14		8540810090	5000 dh
Low Voltage Order	Order No. 2573-14		8540890010	5000 dh
Low Voltage Order	Order No. 2573-14		8540890090	5000 dh
Low Voltage Order	Order No. 2573-14		8540910000	*30 U or *10 000 dhs
Low Voltage Order	Order No. 2573-14		8540990000	*30 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8543100000	1 UNITE
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8543201000	*20U or *20 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8543209000	*20U or *20 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8543300010	*20U or *15 000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8543300090	*20U or *15 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8543701000	*20U or *15 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8543708000	10 000 dh
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8543902000	10 000 dh
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8543908000	10 000 dh
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544111000	• 1500 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544119000	• 1500 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544191000	• 1500 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544199000	• 1500 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544201000	• 1500 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544202100	• 1500 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544202900	• 1500 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544209000	• 1500 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544301000	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544309000	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544421011	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544421019	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544421021	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544421029	• 1000 M or • 15 000 Dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544421091	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544421099	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544429011	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544429019	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544429021	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544429029	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544429091	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544429099	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544491011	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544491019	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544491021	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544491029	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544491030	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544491040	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544491051	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544491059	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544491061	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544491069	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544491090	• 1000 M or • 15 000 Dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544499011	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544499019	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544499021	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544499029	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544499030	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544499040	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544499051	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544499059	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544499061	• 1000 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544499069	• 1000 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544499090	• 1000 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544601100	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544601900	• 1000 M or • 15 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544602100	
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544602900	• 1000 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544603100	• 1000 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544603900	• 1000 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544604000	
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544605000	• 1000 M or • 10 000 Dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544606100	• 1000 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544606900	• 1000 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544607100	• 1000 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544607900	• 1000 M or • 10 000 Dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8544609000	• 1000 M or • 10 000 Dhs
Low Voltage Order	Order No. 2573-14		8414511100	•20 U, or •12 000 Dhs
Low Voltage Order	Order No. 2573-14		8414511900	•20 U, or •12 000 Dhs
Low Voltage Order	Order No. 2573-14		8414519000	•20 U, or •12 000 Dhs
Low Voltage Order	Order No. 2573-14		8414601000	•20 U, or •12 000 Dhs
Low Voltage Order	Order No. 2573-14		8414609000	•20 U, or •12 000 Dhs
Low Voltage Order	Order No. 2573-14		8415100010	*20 U or *40 000 dhs
Low Voltage Order	Order No. 2573-14		8415100091	*20 U or *50 000 dhs
Low Voltage Order	Order No. 2573-14		8415100093	*10 U or *40 000 dhs
Low Voltage Order	Order No. 2573-14		8415100099	*10 U or *15 000 dhs
Low Voltage Order	Order No. 2573-14		8415830010	*10 U or *30 000 dhs
Low Voltage Order	Order No. 2573-14		8415830020	*10 U or *35 000 dhs
Low Voltage Order	Order No. 2573-14		8415830030	*10 U or *50 000 dhs
Low Voltage Order	Order No. 2573-14		8415830090	* 20 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418100011	*10 U or *60 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418100019	*10 U or *40 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418100030	* 20 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418100090	* 10 U or *60 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418210010	*1 U or *40 000 dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418210099	* 20 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418291010	*10 U or *80 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418291091	* 20 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418291099	*10 U or *30 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418299010	*10 U or *50000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418299090	*10 U or *30 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418300011	*20 U or *15 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418300019	* 20 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418300090	*10 U or *20 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418400011	*20 U or *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418400019	* 20 U or *10 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418400030	* 20 U or *10000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418400090	*20 U or *20 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418502000	*20 U or *30 000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418508011	*10 U or *15000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418508017	* 20 U or *10000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418508040	* 20 U or *10000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418508090	*20 U or *25000 dhs
Low Voltage Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418910010	*20 U or *30 000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order Order EMC Order	Order No. 2573-14 Order No. 2574-14		8418910090	*10 U or *10 000 dhs
Low Voltage Order	Order No. 2573-14		8421120010	
Low Voltage Order	Order No. 2573-14		8421120020	*10 U or *20 000 dhs
Low Voltage Order	Order No. 2573-14		8421120090	*10 U or *10 000 dhs
Low Voltage Order	Order No. 2573-14		8422110010	*10 U or *40000 dhs
Low Voltage Order	Order No. 2573-14		8422110090	*10 U or *20000 dhs
Low Voltage Order	Order No. 2573-14		8422190010	*10 U or *10000 dhs
Low Voltage Order	Order No. 2573-14		8422190090	*20 U or *10000 dhs
Low Voltage Order	Order No. 2573-14		8450111000	*10 U or *50000 dhs
Low Voltage Order	Order No. 2573-14		8450119000	*10 U or *50000 dhs
Low Voltage Order	Order No. 2573-14		8450121010	*10 U or *30000 dhs
Low Voltage Order	Order No. 2573-14		8450121090	*10 U or *10000 dhs
Low Voltage Order	Order No. 2573-14		8450129000	*10 U or *10000 dhs
Low Voltage Order	Order No. 2573-14		8450191010	*10 U or *20000 dhs
Low Voltage Order	Order No. 2573-14		8450191090	*10 U or *10000 dhs
Low Voltage Order	Order No. 2573-14		8450199000	*10 U or *10000 dhs
Low Voltage Order	Order No. 2573-14		8450200000	*10 U or *40000 dhs
Low Voltage Order	Order No. 2573-14		9405100500	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405100910	*15 U or *15000 dh
Low Voltage Order	Order No. 2573-14		9405100990	*15 U or *15000 dh
Low Voltage Order	Order No. 2573-14		9405101100	20000 dh
Low Voltage Order	Order No. 2573-14		9405101300	20000 dh
Low Voltage Order	Order No. 2573-14		9405101900	20000 dh
Low Voltage Order	Order No. 2573-14		9405102010	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405102090	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405103100	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405103200	20000 dh

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order	Order No. 2573-14		9405103900	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405104100	
Low Voltage Order	Order No. 2573-14		9405104900	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405105010	
Low Voltage Order	Order No. 2573-14		9405105090	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405109000	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405201100	*15 U or *15000 dh
Low Voltage Order	Order No. 2573-14		9405201300	*15 U or *15000 dh
Low Voltage Order	Order No. 2573-14		9405201910	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405201990	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405202000	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405203100	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405203200	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405203900	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405204100	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405204900	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405205010	
Low Voltage Order	Order No. 2573-14		9405205090	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405209000	*15 U or *5000 dh
Low Voltage Order	Order No. 2573-14		9405300010	*15 U or *15000 dh
Low Voltage Order	Order No. 2573-14		9405300090	*15 U or *15000 dh
Low Voltage Order	Order No. 2573-14		9405400500	*20 U or *10 000 dh
Low Voltage Order	Order No. 2573-14		9405400900	*20 U *10 000 dhs
Low Voltage Order	Order No. 2573-14		9405401300	*20 U *10 000 dhs
Low Voltage Order	Order No. 2573-14		9405401700	10 000 dhs
Low Voltage Order	Order No. 2573-14		9405402100	*20 U *16000 dhs
Low Voltage Order	Order No. 2573-14		9405402200	*15 U *10000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order	Order No. 2573-14		9405402900	*15 U *10000 dhs
Low Voltage Order	Order No. 2573-14		9405403010	*20 U *10 000 dhs
Low Voltage Order	Order No. 2573-14		9405403090	*20 U *10 000 dhs
Low Voltage Order	Order No. 2573-14		9405404100	*20 U *5000 dh
Low Voltage Order	Order No. 2573-14		9405404200	*20 U 5000 dh
Low Voltage Order	Order No. 2573-14		9405404300	*20 U 5000 dh
Low Voltage Order	Order No. 2573-14		9405404400	*20 U *10 000 dhs
Low Voltage Order	Order No. 2573-14		9405404900	*20 U 5000 dh
Low Voltage Order	Order No. 2573-14		9405405100	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405405900	* 15 U *5000 dh
Low Voltage Order	Order No. 2573-14		9405406010	*15 U *5000 dh
Low Voltage Order	Order No. 2573-14		9405406090	*15 U *5000 dh
Low Voltage Order	Order No. 2573-14		9405409000	*15 U *5000 dh
Low Voltage Order	Order No. 2573-14		9405601100	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405601300	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405601900	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405602100	*15 U *5000 dhs
Low Voltage Order	Order No. 2573-14		9405602200	*15 U *5000 dhs
Low Voltage Order	Order No. 2573-14		9405602300	*15 U *5000 dhs
Low Voltage Order	Order No. 2573-14		9405602910	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405602990	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405603100	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405603200	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405603900	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405604100	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405604900	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405605010	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405605090	*15 U * 5000 dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Low Voltage Order	Order No. 2573-14		9405606000	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405609000	*15 U * 5000 dhs
Low Voltage Order	Order No. 2573-14		9405912000	*50 U *5000 dh
Low Voltage Order	Order No. 2573-14		9405918011	*50 U *10000 dhs
Toy Order	Order No. 2575-14		3213100000	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		3213900000	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		3407009010	• 30 or • 2 000 Dhs
Toy Order	Order No. 2575-14		8712009011	• 20 or • 10 000 Dhs
Toy Order	Order No. 2575-14		8712009019	• 20 or • 10 000 Dhs
Toy Order	Order No. 2575-14		8712009090	• 20 or • 10 000 Dhs
Toy Order	Order No. 2575-14		9503002011	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503002019	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503002021	• 30 or • 3 000 Dhs
Toy Order	Order No. 2575-14		9503002029	• 30 or • 3 000 Dhs
Toy Order	Order No. 2575-14		9503002091	• 30 or • 3 000 Dhs
Toy Order	Order No. 2575-14		9503002099	• 30 or • 3 000 Dhs
Toy Order	Order No. 2575-14		9503009110	• 30 or • 3 000 Dhs
Toy Order	Order No. 2575-14		9503009190	• 30 or • 3 000 Dhs
Toy Order	Order No. 2575-14		9503009210	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009220	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009230	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009240	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009250	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009290	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009310	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009320	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009330	• 30 or • 5 000 Dhs

List of Products Regulated at Point of Origin

MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Toy Order	Order No. 2575-14		9503009340	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009350	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009390	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009411	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009412	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009413	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009419	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009491	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009492	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009493	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009494	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009495	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009510	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009590	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009610	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009620	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009630	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009640	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009650	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009690	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009700	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009810	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009891	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009899	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009910	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009991	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009992	• 30 or • 5 000 Dhs

List of Products Regulated at Point of Origin



MANDATORY STANDARDS AND REGULATIONS	CLASSIFICATION INDEX	DESCRIPTION	HS CODES	MINIMUM QUANTITIES AND VALUES
Toy Order	Order No. 2575-14		9503009993	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009994	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009995	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009996	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9503009999	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9504500000	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9504201000	5 000 Dhs
Toy Order	Order No. 2575-14		9504209010	• 30 or • 10 000 Dhs
Toy Order	Order No. 2575-14		9504209090	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9504400000	• 30 or • 2 000 Dhs
Toy Order	Order No. 2575-14		9504900010	
Toy Order	Order No. 2575-14		9504900020	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9505900000	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9506620000	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9608209000	• 500 or • 3 000 Dhs
Toy Order	Order No. 2575-14		9608301010	• 500 or • 3 000 Dhs
Toy Order	Order No. 2575-14		9608301090	• 500 or • 3 000 Dhs
Toy Order	Order No. 2575-14		9608309010	• 30 or • 5 000 Dhs
Toy Order	Order No. 2575-14		9608309090	• 30 or • 5 000 Dhs